

### Skamol Glue

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Skamol Glue

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Glue/adhesive

1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company: Skamol Group

Address: Hasselager Centervej 1

Zip code: 8260 City: Viby J Country: **DENMARK** E-mail: info@skamol.com Phone: +45 97 72 15 33

### 1.4. Emergency Telephone Number

+45 97 72 15 33 (Skamol Group)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**CLP-classification:** Skin Irrit. 2;H315 Eye Irrit. 2;H319

Most serious harmful effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

**Pictograms** 



Signal word: Warning

**Hazard Statements** 

H315 Causes skin irritation. H319 Causes serious eye irritation.

**Precautionary statements** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection/face protection.

IF ON SKIN: Wash with plenty of water. P302+352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if P305+351+338

present and easy to do. Continue rinsing.

### 2.3. Other hazards



### **Skamol Glue**

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

The product does not contain any PBT or vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

| Substance       | CAS No./ EC No./<br>REACH Reg. No.         | Concentration | Notes | CLP-classification                      |
|-----------------|--|---------------|-------|---|
| Sodium silicate | 1344-09-8<br>215-687-4<br>01-2119448725-31 | 20 - 25%      |       | Skin Irrit. 2;H315<br>Eye Irrit. 2;H319 |

Please see section 16 for the full text of H- / EUH-phrases.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**Inhalation:** Seek fresh air.

**Ingestion:** Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

**Skin contact:** Remove contaminated clothing. Wash the skin with water. Seek medical advice in case of

persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** When obtaining medical advice, show the safety data sheet or label.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing. Irritating to skin - may cause reddening.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

### 5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** Stop leak if this can be done without risk. Stay upwind/keep distance from source. Wear safety goggles. Wear gloves.



### Skamol Glue

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended. For emergency responders:

### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Wash hands before breaks, before using restroom facilities, and at the end of work. Running water and eye wash equipment must be available.

### 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Do not store with the following: Acids. Keep in tightly closed original packaging. Store frost-free. Shelf life: approximately 12 months.

#### 7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2. See the technical data sheet for specific use instructions.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently Legal basis:

amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended

by Directive 2019/983/EU.

### 8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles. Eye protection must conform to EN 166.

eye/face protection:

Personal protective equipment, Wear gloves. Type of material: Butyl rubber/ Nitrile rubber. Gloves must conform to EN 374.

hand protection: Breakthrough time has not been determined for the product. Change gloves often.

Personal protective equipment, Not required.

respiratory protection:

**Environmental exposure** 

Ensure compliance with local regulations for emissions.

controls:

### **SECTION 9: Physical and chemical properties**



# **Skamol Glue**

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

# 9.1. Information on basic physical and chemical properties

| · · · · · · · · · · · · · · · · · · · |   |  |  |  |
|---------------------------------------|---|--|--|--|
| Parameter                             | Value/unit                              |  |  |  |
| State                                 | Paste                                   |  |  |  |
| Colour                                | Yellowish                               |  |  |  |
| Odour                                 | Odourless                               |  |  |  |
| Solubility                            | Not miscible with the following: Water. |  |  |  |

| Parameter                               | Value/unit         | Remarks                     |
|---|--------------------|-----------------------------|
| Odour threshold                         | No data            |                             |
| Melting point                           | No data            |                             |
| Freezing point                          | No data            |                             |
| Initial boiling point and boiling range | > 100 °C           |                             |
| Flammability (solid, gas)               | No data            |                             |
| Flammability limits                     | No data            |                             |
| Explosion limits                        | No data            |                             |
| Flash Point                             | No data            |                             |
| Auto-ignition temperature               |                    | Not spontaneously flammable |
| Decomposition temperature               | No data            |                             |
| pH (solution for use)                   | No data            |                             |
| pH (concentrate)                        | 11 - 12            | 20 °C                       |
| Kinematic viscosity                     | No data            |                             |
| Viscosity                               | 66000 - 74000 mPas | (kinematic)                 |
| Partition coefficient n-octonol/water   | No data            |                             |
| Vapour pressure                         | No data            |                             |
| Density                                 | No data            |                             |
| Relative density                        | No data            |                             |
| Vapour density                          | No data            |                             |
| Relative density (sat. air)             | No data            |                             |
| Particle characteristics                | No data            |                             |

# 9.2. Other information

Other Information: None.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Reacts with the following: Acids.

# 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

# 10.3. Possibility of hazardous reactions

None known.

# 10.4. Conditions to avoid

None known.

# 10.5. Incompatible materials

Acids.



### Skamol Glue

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

## 10.6. Hazardous decomposition products

Can generate harmful flue gases containing carbon monoxide in the event of fire.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: Ingestion of large quantities may cause discomfort. The product does not have to be

classified. Test data are not available.

**Acute toxicity - dermal:** The product does not have to be classified. Test data are not available.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

**Skin corrosion/irritation:** Irritating to skin - may cause reddening.

Serious eye damage/eye

irritation:

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

### 11.2. Information on other hazards

Endocrine disrupting

properties:

No known data.

Other toxicological effects: None known.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product does not have to be classified. Test data are not available.

### 12.2. Persistence and degradability

Test data are not available.

# 12.3. Bioaccumulative potential

Test data are not available.

### 12.4. Mobility in soil

Test data are not available.

### 12.5. Results of PBT and vPvB assessment



### **Skamol Glue**

Replaces date: 10/1/2020

Revision date: 10/21/2021

Version: 1.2.0

The product does not contain any PBT or vPvB substances.

### 12.6. Endocrine disrupting properties

No known data.

### 12.7. Other adverse effects

None known.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

EWC code: Depends on line of business and use, for instance 08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

hazards:

### **SECTION 14: Transport information**

14.1. UN number or ID number:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shippingNot applicable.14.5. EnvironmentalNot applicable.

name:

**14.3. Transport hazard** Not applicable.

class(es):

14.6. Special precautions for user

None

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

# 15.2. Chemical Safety Assessment

| · · · · · · · · · · · · · · · · · · · |                 |  |  |
|---------------------------------------|-----------------|--|--|
| REACH Reg. No.                        | Substance name  |  |  |
| 01-2119448725-31                      | Sodium silicate |  |  |

## **SECTION 16: Other information**

### Version history and indication of changes

| Version | Revision date | Responsible            | Changes        |
|---------|---------------|------------------------|----------------|
| 1.2.0   | 10/21/2021    | Bureau Veritas HSE/SUJ | 1,3,9,11,12,16 |



### **Skamol Glue**

Replaces date: 10/1/2020 Revision date: 10/21/2021

Version: 1.2.0

**Abbreviations:** PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

preparation of safety data sheets in accordance with 1907/2000/EC (REACH) as

subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@dk.bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

**Document language:** EU